NAME	INDEX NUMBER
SCHOOL	DATE

	CHLORINE AND ITS COMPOUNDS	
1.	1990 Q 19 P1A  When aqueous barium chloride was added to an aqueous sodium salt W, a v precipitate was formed on addition of dilute hydrochloric acid, the white p dissolved,	recipitate
	and a gas evolved. Give two possible identities of W. marks)	(2
	marks)	
		••••••
2.	<ul><li>1993 P1A Q 15</li><li>When excess chloride gas is bubbled through dilute sodium hydroxide solut resulting solution acts as a bleaching agent.</li><li>(a) Write an equation for the reaction between chlorine gas and sodium h</li></ul>	
	solution	
	mark)	(1
		•••••
	(b) Explain how the resulting solution acts as a bleaching agent. marks).	(2
3.	1995 P1A Q11 A solution of chloride in tetra chloromethane turns colourless when propene bubbled through it:	e gas is
	(a) What type of reaction takes place?	(1 mark)
		•••••


(b)	Write an	equation	for the	above	reaction.
-----	----------	----------	---------	-------	-----------

(1 mark)

.....

### 4. 1996 Q 2 P2

a) The diagram below shows incomplete set – up of the laboratory and preparation collection of chlorine gas. Study it and answer the questions that follow.



- i) Complete the set up to show how dry chloride gas may be collected.
- ii) The equation for the redox reaction that takes place is  $MnO_{2(s)} + 4 \ HCl_{(aq)} \longrightarrow MnCl_{2(aq)} + 2H_2O_{(l)} + Cl_{2(g)}$  Explain, using oxidation numbers, which species is reduced

(2marks)

•••••		••••••	•••••	•••••
•••••	•••••••	••••••	•••••	•••••
	•••••			

iii) What is the purpose of water in flask L?

(1mark)

.....

5. 1997 Q 14 P1

In an experiment, chlorine gas was passed into moist hydrogen sulphide contained in a boiling tube as shown in the diagram.

©Pyramid Assignments

0722614502/0733494581

Hydrogen Sulphide -Boiling tube

All subjects, All topics available

a)	what observation was made in the boiling tube?	
b)	Write an equation for the above reaction.	
c)	. What precaution should be taken in carrying out this experime	ent? Give a reason
W	That is the role of Chlorine gas in  i) Water treatment?	
mark)	ii) Paper manufacture?	(1
7. 199	7 Q 7 PP2 <sup>Tube</sup> S Zinc lumings	, <sub>sc</sub>
	(a) In an experiment, dry hydrogen chloride gas was passed throughturnings as shown in the diagram below. The gas produced was through heated lead (II) byide.	
©Pvramic	l Assignments 0722614502/0733494581 All subjects, All	topics available

(i)	What is th	ne function of water in the flask?
	***************************************	
	••	
	Write equ	sations for the reactions that took place in the tubes  S
	•	V
(ii)		ald the total mass of tube V and its contents compare before after the nt? Explain
	•••••	
	••••	
(b)	chloride, con	be prepared by using the following three agents; solid sodium centrated sulphuric acid and potassium permanganate e role of each of the following in the reaction? concentrated sulphuric acid
	П	notassium nermanganate

(ii) Name the bleaching agent formed when chlorine gas is passed through cold dilute sodium hydroxide solution  (iii) Name one other use of the compound formed in (ii) above other than bleaching  (c) 1.9 gm of magnesium chloride was dissolved in distilled water. Silver nitrate solution was added until in excess. Calculate the mass of silver nitrate that was used for the complete reaction.  Relative molecular mass of magnesium chloride = 95, N = 14.0, O = 16.0, Ag = 108.0   8. 1998 Q 29 PP1  What is the oxidation number of chlorine in ClO <sub>4</sub> ?  9. 1998 Q 4 PP2  The set up below was used to prepare anhydrous chlorides of a number of elements in a laboratory where no fine cupboard was available. The chlorides were to be collected in flask.		
(ii) Name the bleaching agent formed when chlorine gas is passed through cold dilute sodium hydroxide solution  (iii) Name one other use of the compound formed in (ii) above other than bleaching  (c) 1.9 gm of magnesium chloride was dissolved in distilled water. Silver nitrate solution was added until in excess. Calculate the mass of silver nitrate that was used for the complete reaction.  Relative molecular mass of magnesium chloride = 95, N = 14.0, O = 16.0, Ag = 108.0  8. 1998 Q 29 PP1  What is the oxidation number of chlorine in ClO <sub>4</sub> ?  The set – up below was used to prepare anhydrous chlorides of a number of elements in a laboratory where no fine cupboard was available. The chlorides were to be collected in flask.		
(ii) Name the bleaching agent formed when chlorine gas is passed through cold dilute sodium hydroxide solution  (iii) Name one other use of the compound formed in (ii) above other than bleaching  (c) 1.9 gm of magnesium chloride was dissolved in distilled water. Silver nitrate solution was added until in excess. Calculate the mass of silver nitrate that was used for the complete reaction.  Relative molecular mass of magnesium chloride = 95, N = 14.0, O = 16.0, Ag = 108.0  8. 1998 Q 29 PP1  What is the oxidation number of chlorine in ClO <sub>4</sub> ?  The set – up below was used to prepare anhydrous chlorides of a number of elements in a laboratory where no fine cupboard was available. The chlorides were to be collected in flask.		
(ii) Name the bleaching agent formed when chlorine gas is passed through cold dilute sodium hydroxide solution  (iii) Name one other use of the compound formed in (ii) above other than bleaching  (c) 1.9 gm of magnesium chloride was dissolved in distilled water. Silver nitrate solution was added until in excess. Calculate the mass of silver nitrate that was used for the complete reaction.  Relative molecular mass of magnesium chloride = 95, N = 14.0, O = 16.0, Ag = 108.0  8. 1998 Q 29 PP1  What is the oxidation number of chlorine in ClO <sub>4</sub> ?  The set – up below was used to prepare anhydrous chlorides of a number of elements in a laboratory where no fine cupboard was available. The chlorides were to be collected in flask.		
bleaching  (c) 1.9 gm of magnesium chloride was dissolved in distilled water. Silver nitrate solution was added until in excess. Calculate the mass of silver nitrate that was used for the complete reaction.  Relative molecular mass of magnesium chloride = 95, N = 14.0, O = 16.0, Ag = 108.0  8. 1998 Q 29 PP1  What is the oxidation number of chlorine in ClO <sub>4</sub> ?  9. 1998 Q 4 PP2  The set – up below was used to prepare anhydrous chlorides of a number of elements in a laboratory where no fine cupboard was available. The chlorides were to be collected in flask.		(ii) Name the bleaching agent formed when chlorine gas is passed through cold
bleaching  (c) 1.9 gm of magnesium chloride was dissolved in distilled water. Silver nitrate solution was added until in excess. Calculate the mass of silver nitrate that was used for the complete reaction.  Relative molecular mass of magnesium chloride = 95, N = 14.0, O = 16.0, Ag = 108.0  8. 1998 Q 29 PP1  What is the oxidation number of chlorine in ClO <sub>4</sub> ?  9. 1998 Q 4 PP2  The set – up below was used to prepare anhydrous chlorides of a number of elements in a laboratory where no fine cupboard was available. The chlorides were to be collected in flask.		
solution was added until in excess. Calculate the mass of silver nitrate that was used for the complete reaction.  Relative molecular mass of magnesium chloride = 95, N = 14.0, O = 16.0, Ag = 108.0   8. 1998 Q 29 PP1  What is the oxidation number of chlorine in ClO <sub>4</sub> ?		• • • • • • • • • • • • • • • • • • • •
solution was added until in excess. Calculate the mass of silver nitrate that was used for the complete reaction.  Relative molecular mass of magnesium chloride = 95, N = 14.0, O = 16.0, Ag = 108.0   8. 1998 Q 29 PP1  What is the oxidation number of chlorine in ClO <sub>4</sub> ?		
<ul> <li>8. 1998 Q 29 PP1 What is the oxidation number of chlorine in ClO<sub>4</sub><sup>-</sup>?</li> <li>9. 1998 Q 4 PP2 The set – up below was used to prepare anhydrous chlorides of a number of elements in a laboratory where no fine cupboard was available. The chlorides were to be collected in flask.</li> </ul>	(c)	solution was added until in excess. Calculate the mass of silver nitrate that was used for the complete reaction.  Relative molecular mass of magnesium chloride = 95, N = 14.0, O = 16.0,
<ul> <li>8. 1998 Q 29 PP1 What is the oxidation number of chlorine in ClO<sub>4</sub><sup>-</sup>?</li> <li>9. 1998 Q 4 PP2 The set – up below was used to prepare anhydrous chlorides of a number of elements in a laboratory where no fine cupboard was available. The chlorides were to be collected in flask.</li> </ul>		
<ul> <li>8. 1998 Q 29 PP1 What is the oxidation number of chlorine in ClO<sub>4</sub><sup>-</sup>?</li> <li>9. 1998 Q 4 PP2 The set – up below was used to prepare anhydrous chlorides of a number of elements in a laboratory where no fine cupboard was available. The chlorides were to be collected in flask.</li> </ul>		
<ul> <li>8. 1998 Q 29 PP1 What is the oxidation number of chlorine in ClO<sub>4</sub><sup>-</sup>?</li> <li>9. 1998 Q 4 PP2 The set – up below was used to prepare anhydrous chlorides of a number of elements in a laboratory where no fine cupboard was available. The chlorides were to be collected in flask.</li> </ul>		
<ul> <li>8. 1998 Q 29 PP1 What is the oxidation number of chlorine in ClO<sub>4</sub><sup>-</sup>?</li> <li>9. 1998 Q 4 PP2 The set – up below was used to prepare anhydrous chlorides of a number of elements in a laboratory where no fine cupboard was available. The chlorides were to be collected in flask.</li> </ul>		
What is the oxidation number of chlorine in ClO <sub>4</sub> <sup>-</sup> ?  9. 1998 Q 4 PP2  The set – up below was used to prepare anhydrous chlorides of a number of elements in a laboratory where no fine cupboard was available. The chlorides were to be collected in flask.	Q 100Q	
The set – up below was used to prepare anhydrous chlorides of a number of elements in a laboratory where no fine cupboard was available. The chlorides were to be collected in flask.	0. 1990	
The set – up below was used to prepare anhydrous chlorides of a number of elements in a laboratory where no fine cupboard was available. The chlorides were to be collected in flask.		
The set – up below was used to prepare anhydrous chlorides of a number of elements in a laboratory where no fine cupboard was available. The chlorides were to be collected in flask.		
The set – up below was used to prepare anhydrous chlorides of a number of elements in a laboratory where no fine cupboard was available. The chlorides were to be collected in flask.		
The set – up below was used to prepare anhydrous chlorides of a number of elements in a laboratory where no fine cupboard was available. The chlorides were to be collected in flask.		
chlorine gas Element	The in a	set – up below was used to prepare anhydrous chlorides of a number of elements laboratory where no fine cupboard was available. The chlorides were to be collected
	Dry E chlorine gas El	ement 1
©Pyramid Assignments 0722614502/0733494581 All subjects, All topics available		1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1

prepared	The following table shows the melting and boiling points of the chlorides that were
prepared	(a) Explain why it is necessary to pass dry chlorine through the apparatus before heating each element
	(b) Give two reasons why tubes II and III were filled with Soda lime (solid mixture or
	sodium hydrogen and calcium hydrogen)
	(c) Explain why it would not be possible to collect any sodium chloride in flask 1
	(d) Name one other substance that can be used in tubes II and III
	(e) Write an equation for the reaction that forms phosphorous (III) chloride
	(f) Describe how you would separate a mixture of sodium chloride and aluminium chloride

(a)	can	the space provided sketch a labelled diagram to show how hydrogen be prepared and collected in the laboratory using sodium chloride and centrated sulphuric acid ( the gas need not be dry)
	(ii)	Write an equation for the reaction that takes place
	(iii)	Name one drying agent for hydrogen chloride
	(vi)	State and explain the observation that would be made when hydrogen chloride gas is bubbled through a solution of lead (II) nitrate

surfaces ( picking). Explain why concentration nitric acid cannot be used for the purpose.

Concentrated hydrochloric acid is used for removing oxide from metal

(v)


	<b>2001</b> a)	<b>Q 5 P2</b> Give	the name of reagent which when reacted with concentrated hydrochloric
acid		produ	ice chlorine gas.
		•••••	
	b		dent out to prepare iron III chloride using the apparatus n in the diagram below.
			Guard tube Calcium oxide
			Iron fifings
	b	ry Chioeine g	* 1
			1111
			Combession
į	i)	Expla I.	in why:  It is necessary to pass chlorine gas through the apparatus before heating
begins.			
		II	Calcium oxide would be preferred to calcium chloride in the guard tube.
į	ii)		property of iron (III) chloride makes it possible to be collected as shown in agram?

	iii)	Write an equation form one chemical reaction that took place in the guard tube				
	iv)	The total mass of iron (III) chloride formed was found to be 0.5g. Calculate the volume of chlorine gas the reacted with iron. (Fe - $= 56.0$ ,Cl = $35.5$ and Molar gas volume at $298$ K is $24,000$ cm <sup>3</sup>				
	c)	<ul> <li>When hydrogen sulphide gas was passed through a solution of iron (III) chloride, the following observation were made:</li> <li>i) The colour of the solution changed from reddish – brown to green and a yellow solid was deposit .Explain these observations.</li> </ul>				
was	d)	State and explain the observations that would be made if a moist blue litmus paper				
Wus		placed in a gas jar full of chloride gas.				
12.		2 Q 4 The following two tests were carried out on chlorine water contained in two test				
tu	ıbes	A piece of blue flower was dropped into the first – tube. Explain why the flower				
	` '	was bleached				

(b) The second test- tube was corked and exposed to sunlight after a few days, it was found to contain a gas that rekindled a glowing splint. Write an equation for the reaction which produced the gas

# 13. 2002 Q 2 P2

Study the flow chart below and answer the questions follow Concentrated sodium chloride




10

(a	(i) A
(b	(ii) B
(c	) Give one use of PVC
(0	d) Write an equation for the reaction in which chlorine gas is produced
	) State and explain the observation that would be made if chlorine gas was bubbled to an aqueous solution of sodium iodide
(f) was	In the preparation of a bleaching agent (Sodium hypochlorite), Excess chlorine gas
hydroxide	bubbled into 15 litres of cold 2 m sodium hydroxide (i) Write an equation for the reaction between chlorine gas and cold dilute sodium
	(ii) Calculate the: Number of moles of sodium hydroxide used

	Mass in kilograms of the sodium hypochlorite produced = 1. 1175
14.	2003 Q 1
	Some sodium chloride was found to be contaminated with copper (ll) oxide.
	Describe how a sample of sodium chloride can be separated from the mixture
15.	2003 Q 11
	Yellow phosphorous reacts with chlorine gas to form a yellow liquid. The liquid
	fumes when exposed to air. Explain these observations (2 marks)

## 16. 2003 Q 22

The set – up below was used to prepare hydrogen chloride a gas and react it with iron powder. Study it and answer the questions that follow.



a)	Identity the light green solid. (1mark)
 b)	At the beginning of the experiment, the Ph of the solution in container L was about 14. At the end, the pH was found to be 2. Explain (2marks)
up	Thirde funsel  Carabuand  Plank  Name the gas produced in the flask
b) (2mar	Give two reasons why no gas was collected in the gas jar.

b) Chlorine gas is prepared by reacting concentrated hydrochloric acids with manganese (IV) oxide.

	1)	and manganese (IV) oxide.  (1 mark)	
	ii) mark)	What is the role of manganese (Iv) oxide in this reaction	(1
c)	:)	Iron (II) chloride reacts with chlorine gas to form substance E.	(1
	mark)	Identify substance E	(1
	ii)	During the reaction in c(i) above,6.30g of iron chloride were converted 8.06 of substance E. Calculate the volume of chlorine used. (C1 = 35.5, Molar gas volume at room temperature = 24000cm3, Fe = 56	
	marks)		(2
			••••
	is	and name the structure of the compound formed when excess chlorine gad with ethane gas.	as (2
	•••		

	e) Give the industrial use of chlorine (1 mark)	
19. marks) marks)	a) Explain why calcium oxide is not used to dry hydrogen chloride gas	(2
	b) Name one drying agent for hydrogen chloride gas	
<b>20.</b> sod	2005 Q 11  The reaction between how concentrated sodium hydroxide and chlorine prolium  chlorate (V), sodium chloride and water  (a) Write the equation for the reaction	oduces
	(b) Give one use of sodium chlorate (V)	
21. 2	Study the flow chart below and answer the questions that follow  Na <sub>2</sub> CO <sub>3</sub> Step 1  P  Excess Cl <sub>2</sub> Step 2	
mai	(a) Identify N and P rks)	(2

	(b) What name is given to the type of halogenations/ chlorination reaction in step 2?
<b>22.</b> mark)	2006 Q 10b  Name the process which takes place when: b) A red litmus paper turns white when dropped into chlorine water. (1
23.	2006 Q 13  The diagram below represents the set-up that was used to prepare and collect hydrogen chloride gas in the laboratory.  Concentrated Sulphuric acid  a) State the purpose of concentrated sulphuric acid in the wash bottle.  (1 mark)  b) Write an equation for the reaction between dry hydrogen chloride gas and heated iron (1 mark)

c) Hydrogen chloride gas is dissolved in water to make hydrochloric acid. State one use of hydrochloric acid.

<b>24.</b> gas (3marks	
25.	The diagram below shows the set up used in an experiment to prepare chlorine gas and react it with aluminium foil. Study it and answer the question that follows.  Concentrated HCI  Anhydrous  Aluminium  Receiver  Combustion tube  Potassium  manganate (VII)  (a) In the experiment, concentrated hydrochloric acid and potassium manganate (VII)  were used to prepare chlorine gas. State two precautions that should be taken in carrying out this experiment.  (2marks)
_	(b) Write the formula of another compound that could be used instead of ootassium manganate (VII)  1 mark)


		(2
	marks)	
	(d) State the property of the product formed in the combustion tube that makes it possible for	
	it to be collected in the receiver 1 mark)	(
		••
	<ul><li>(e) When 1.08g of aluminium foil were heated in a stream of chlorine gas, the mass of the product formed was 3.47 g. Calculate the:</li><li>(i) Maximum mass of the product formed if chlorine was in excess; (Al= 27; Cl=</li></ul>	
	35.5)	•••
	(ii) Percentage yield of the product formed (1 mark)	
	(f) Phosphorous trichloride is a liquid at room temperature. What modification should be made to set up if it is to be used to prepare phosphorous trichloride? (1 mark)	
26.	2008 Q 12  In an experiment, a test-tube full of chlorine water was inverted in chlorine water as	••
<b>⊘</b> D	11 000v.veco3/seco30000000000	18
⊌Pyr	ramid Assignments 0722614502/0733494581 All subjects, All topics available	

After one day, a gas was found to have collected in the test-tube

a)	Identify the	
	gas.	
b)	What will hexplanation (2marks)	appen to the PH of the solution in the beaker after one day? Give an .
	•••••	
	••••••	

## 27. 2008 Q 22

The diagram below is part of a set up used in the laboratory preparation of a gas.




Complete the diagram to show how a dry sample of the gas can be collected. (3marks)

20	2000 0	1 D2	
28.	2009 O	1 1 2	

a co	reagents that can be used to prepare chlorine gas are manganese (IV) oxide and neentrated hydrochloric acid.
(1) w (1mark)	rite an equation for the reaction
(Tillark)	
	Give the formula of another reagent that can be reacted with concentrated
	nydrochloric acid to produce chlorine gas
(1mark)	
•••••	
(iii)	Describe how the chlorine gas could be dried in the laboratory
	(2marks)
•••••	
•••••	
•••••	


(b) In an experiment, dry chlorine gas was reacted with aluminium as shown In Figure 1



(i) Name substance A (1mark)

(ii) Write an equation for the reaction that took place in the combustion tube

			••••••
marks)		0.8 g of aluminum reacted completely with chlorine gas. Calculate the the vol of chlorine gas used (Molar gas volume is 24dm³, Al =27)	lume (3
	<i>(</i> ' )		
marks)	(1V)	Give two reasons why calcium oxide is used in the set up	(2
29.		18 r certain conditions, chlorine gas reacts with sodium hydroxide to form Sodium chlorite.	m
	a) N	Name the conditions under which sodium hydroxide to form sodium hypochlo	rite. (1
mark)			
mark)	 b)	State the uses of sodium hypochlorite.	(1
30. 20		The diagram below is part of a set up used to prepare and collect dry chlorine	gas.



	(i)	Complete the diagram to show how a dry sample of chlorine gas can be collected (3
marks)		
mark)	(ii)	Name another substance and condition that can be used instead of manganese (IV oxide (1
mark)	(ii	i) Write an equation for each of the following: 1. Chlorine gas reacting with iron (1)
mark)		II. Chlorine gas reacting with hot concentrated sodium hydroxide solution (1
	(b)	An oxide of chlorine of mass 1.83g was found to contain 1.12g of oxygen. Determine the empirical formula of the oxide (O=0.16.0; CL=35.5). (3 marks)

(c)	Other than the manufacture of weed killers, name <b>two</b> other uses of chlorine.	(2
marks)		
		••••••